

Amendments to the Claims:

1. (Original) A terminal for concatenating recorded audio data packages each having a predefined length, such as SAM messages, into an audio message of variable length, each of said recorded audio data packages forwarded from said terminal to a receiving terminal through an interconnecting telecommunication network, and said terminal comprising:
 - (a) a user interface adapted to display on a display a first counter counting recorded length of audio data being recorded in an audio data package and a second counter counting number of recorded audio data packages,
 - (b) a recorder for recording each of said audio data packages,
 - (c) a concatenation unit for concatenating said recorded audio data packages into said audio message, and
 - (d) a transmitter for transmitting each of said recorded concatenated audio data packages through said telecommunication network to said receiving terminal.
2. (Original) A terminal according to claim 1, wherein said recorder comprises a microphone for recording voice and/or a keypad for generating sounds.
3. (Currently Amended) A terminal according to ~~any of claim~~[[s]] 1[[to 2]], wherein said predetermined length of said audio data package is in the range between 10 seconds to 3 minutes, ~~such as a predetermined length of 20 seconds.~~
4. (Currently Amended) A terminal according to ~~any of claim~~[[s]] 1[[to 3]], wherein said terminal comprises a mobile or cellular telephone, a personal digital assistant, a computer, or any combination thereof.
5. (Currently Amended) A terminal according to ~~any of claim~~[[s]] 1[[to 4]], wherein said receiving terminal comprises a mobile or cellular telephone, a personal digital assistant, a computer, or any combination thereof.

6. (Currently Amended) A terminal according to ~~any of~~ claim[[s]] 1[[to 4]], wherein said receiving terminal comprises a computer terminal in a computer network, said computer terminal being adapted to connect to said telecommunication network through a gateway interconnecting said telecommunication network and said computer network.

7. (Currently Amended) A terminal according to ~~any of~~ claim[[s]] 1[[to 6]], wherein said telecommunication network is a wireless telecommunication network.

8. (Original) A terminal according to claim 7, wherein said wireless telecommunication network uses a general packet radio service transmission format.

9. (Original) A terminal according to claim 7, wherein said wireless telecommunication network uses universal mobile telecommunication service transmission format.

10. (Original) A system for communicating concatenated recorded audio data packages each having a predefined length, such as SAM messages, into an audio message of variable length, and said system comprising:

- (a) a transmitting terminal adapted to generate said concatenated recorded audio data packages and to transmit each of said recorded audio data packages, and comprising:
 - (i) a user interface adapted to display on a display a first counter counting recorded length of audio data being recorded in an audio data package and a second counter counting number of recorded audio data packages,
 - (ii) a recorder for recording each of said audio data packages,
 - (iii) a concatenation unit for concatenating said recorded audio data packages into said audio message, and
 - (iv) a transmitter for transmitting each of said recorded concatenated audio data packages through said telecommunication network to said receiving terminal.
- (b) a receiving terminal for receiving said concatenated recorded audio data packages from said transmitting terminal and comprising:

- (i) a receiver for receiving said concatenated recorded audio data packages and for configuring said concatenated recorded audio data packages into said audio message, and
- (ii) a loudspeaker for playing said audio message, and
- (c) a telecommunication network interconnecting said transmitting and receiving terminal.

11. (Currently Amended) A system according to claim 10, wherein said recorder of said transmitting terminal comprises a microphone for recording voice and/or a keypad for generating sounds~~a transmitting terminal according to any of claims 1 to 9.~~

12. (Currently Amended) A system according to ~~any of~~ claim[[s]] 10[[to 11]], wherein said receiving terminal comprises a mobile or cellular telephone, a personal digital assistant, a computer, or any combination thereof.

13. (Currently Amended) A system according to ~~any of~~ claim[[s]] 10[[to 12]] further comprises a computer terminal in a computer network connecting to said telecommunication network through a gateway interconnecting said telecommunication network with said computer network.

14. (Original) A system according to claim 13, wherein said computer network comprises a wired or wireless local area network, metropolitan area network, wide area network, inter-network, television network, power network, or any combination thereof.

15. (Currently Amended) A system according to ~~any of~~ claim[[s]] 10[[to 14]], wherein said telecommunication network is a wireless telecommunication network.

16. (Original) A system according to claim 15, wherein said wireless telecommunication network uses a general packet radio service transmission format.

17. (Original) A system according to claim 15, wherein said wireless telecommunication network uses universal mobile telecommunication service transmission format.

18. (Original) A method for concatenating recorded audio data packages each having a predefined length, such as SAM messages, into an audio message of variable length, each of said recorded audio data packages forwarded from a transmitting terminal to a receiving terminal through an interconnecting telecommunication network, and said method comprising:

- (a) displaying, when a first counter is smaller than said predefined length, said first counter and a second counter by means of a display on said transmitting terminal, said first counter counting recorded length of audio data being recorded in an audio data package and said second counter counting number of recorded audio data packages,
- (b) recording, when said first counter is smaller than said predefined length, an audio data package by means of a recorder in said transmitting terminal,
- (c) concatenating said recorded audio data packages into said audio message by means of a concatenation unit in said transmitting terminal, and
- (d) transmitting each of said recorded concatenated audio data packages through said telecommunication network to said receiving terminal by means of a transmitter in said transmitting terminal.

19. (Currently Amended) A user interface for implementation in a terminal according to any-of claim[[s]] 1[[to 9]].